

# PORTFOLIO PRODUKTÓW

---

2026

## DIAGNOSTICS

CalfDiar-4  
Cryptosporidium Ag  
Clostridium Ag  
Optium B-ketone  
Optium glucose  
Vet Expert KG β-ketone  
Vet Expert KG glucose  
Vet Expert KG Check  
Refraktometr  
pH-Vet

## POULTRY

Blue Control  
Eumentol  
Farmaril  
Węglan sodu

## REPRODUCTION

Obifertil  
Obi placenta  
Obimetri  
S-vit AD3E  
Farmasel E Forte

## DEFICIENCIES

Anio-Liq  
Calcium  
Kallio-Liq  
Phosphore  
Mag L.A.  
Obicalc  
Obibaca  
Phos-Calc Vet  
Obitarie  
Obi 360  
Obihoof  
Farmavit AD3E  
Farmavit AD3E Forte  
Farmavit B-Complex  
Farmavit C  
S-vit ATP B-complex  
S-vit B-complex  
S-vit B-12  
S-vit E50 + Se  
S-vit Multivitamin  
S-vit NaCl 7,2

## CALVES

Colostro Flash  
Vit&Fort  
Vit&Mangan  
Obionekk  
Lacthydravo  
DisoLyt  
S-vit NaHCO3  
Diar-Vit Premium  
Poolmoplex  
Obivo

## DIGESTION

Bovi-Diar Vet  
Drench Powder  
Drench lax  
Dyzyentybione drench  
Farmatox Carbo  
Farmatox Carbo Zn  
Farmbiotic  
Drożdże paszowe

## ACIDOSIS

Obiflore  
Stopacidobione  
Ruminobione

## LIVER

Obiperf  
Hepatobione  
Hepatobione 152

## CARE

VagiFoam  
RUMAK Żel chłodzący  
RUMAK Żel rozgrzewający  
RUMAK Żel rozgrzewająco - chłodzący  
RUMAK Żel na obrzęki z arniką  
StopHorn  
Alufarm  
Pixol

## OTHERS

Tympakon Farma  
Vagothyl  
Biofal

## ACCESORIES

Dozownik Obionekk  
Aplikator do bolusów Grand  
Aplikator Obivo

## PIGS

Canibal Stop Spray

## DIAGNOSTICS



### CalfDiar-4

A quadruple test for diagnosing calf diarrhea. Detects the presence of E. coli K99 antigens, rotaviruses, coronaviruses, and Cryptosporidium.  
Packaging: 5 tests



### Cryptosporidium Ag

A single test for the detection of Cryptosporidium parvum antigens in calf feces.  
Packaging: 5 tests




### Clostridium Ag

A single test for the detection of Clostridium perfringens antigens and toxin in calf feces.  
Packaging: 5 tests



### Optium B-ketone

Strips for measuring the level of ketone bodies in the blood. These strips are designed for the Optium Xido glucometer.  
Packaging: 50 strips



### Optium glucose

Strips for measuring the level of glucose in the blood. These strips are designed for the Optium Xido glucometer.  
Packaging: 50 strips



### Vet Expert KG $\beta$ -ketone

Strips for measuring the level of ketone bodies in the blood. These strips are designed for use with the Vet Expert KG Check glucometer.

Packaging: 50 strips



### Vet Expert KG glucose

Strips for measuring the level of glucose in the blood. These strips are designed for use with the Vet Expert KG Check glucometer.

Packaging: 50 strips



### Vet Expert KG Check

Glucometer for measuring glucose and ketone levels in the blood.

Packaging: 1 device



### Refraktometer

Electronic device for assessing the quality of colostrum, transfer of passive immunity, urine specific gravity and dry matter content in milk replacers and milk.

Packaging: 1 device



### pH-Vet

Strips for measuring the pH of urine and rumen contents on a scale of 2 to 9.

Packaging: 100 strips



### Blue Control

This product neutralizes free chlorine in drinking water. The blue dye visualizes the ingestion of vaccine-treated water.

Dosage: Blue Control 200 - 1 op./200 L wody  
Blue Control 1000 - 1 op./1 000 L wody

Packaging: 200 g box, 24 pcs/pack  
1000 g box, 18 pcs/pack



### Eumentol

A preparation for optimizing the functioning of the respiratory system in poultry during periods of heat stress or increased dust levels in the facility.

Dosage: Chickens up to 14 days old and turkeys up to 28 days old:  
100 ml/1000 L of water  
Chickens over 14 days old and turkeys over 28 days old:  
200 ml/1000 L of water

Packaging: bottle 1 L, 12 pcs/pack



### Farmaril

A preparation supporting the energy and electrolyte balance of animals with glycine and menthol.

Dosage: use after transport, during heat stress and convalescence in the amount of 1.25 ml/1 L of water.

Packaging: bottle 1 L, 12 pcs/pack



### Węglan sodu

Feed material supporting metabolic and energy processes and the use of protein from feed.

Dosage: use with drinking water in the amount of 250 g/100 L for 3 to 5 days.

Packaging: sachet 750 g, 15 pcs/pack



## REPRODUCTION



UWALNIANIE DO 14 DNI!

### Obifertil



A high dose of zinc, vitamin A and  $\beta$ -carotene improves reproductive performance; intended for cows with silent heats and ovarian dysfunction.

Dosage: Administer 14 days before the expected date of estrus to increase its symptoms. In cows with no estrus symptoms, administer every 14 days until they occur.

Packaging: bolus 70 g, 10 pcs/pack



### Obiplacenta



It facilitates the process of expulsion of the placenta and cleansing of the uterus, especially after difficult, prolonged labor. Contains marigold and clove extracts.

Dosage: administered immediately after a difficult, prolonged delivery.

Packaging: bolus 100 g, 10 pcs/pack



### Obimetri



It facilitates postpartum uterine cleansing, especially if the process is prolonged; recommended after uterine prolapse, fetotomy, and placental abduction. It reduces the risk of metritis.

Dosage: administer up to 5 days after delivery in case of prolonged uterine cleansing process.

Packaging: bolus 105 g, 10 pcs/pack



### S-vit AD3E



A supplement containing vitamins A, D3, and E, suspended in an oil complex for improved absorption. This product is highly sterile.

Dosage: depending on needs, administer 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



### Farmasel E Forte



A source of vitamin E and selenium with added energy, suspended in an oil complex for better absorption.

Dosage: administer after dissolving in 10 liters of water: horses - 20 ml, cattle - 5 ml, sheep, alpacas, pigs - 2 ml, piglets, goats, cria - 0.5 ml, poultry - 0.5 ml.

Packaging: bottle 1 L, 12 pcs/pack



UDOSKONALONA RECEPTURA!

### Anio-Liq



Anion salts reduce the risk of milk fever. Stimulates the release of calcium from bones and its absorption in the intestines. Safe gel formulation prevents aspiration.

Dosage: 1 pc the day before and 1 pc on the day of calving.

Packaging: bottle 500 ml, 12 pcs/pack



### Calcium



A source of calcium and phosphorus with varying absorption rates, helping to prevent milk fever. Contains high doses of iodine and selenium. Safe gel formulation prevents choking.

Dosage: 1 pc after calving and 1 pc after 12 hours.

Packaging: bottle 500 ml, 20 pcs/pack



### Kallio-Liq



It supplements potassium deficiencies in cows experiencing ketosis, hyperglycemia, and poor feed intake. It reduces the effects of oxidative stress thanks to its selenium and vitamin E content.

Dosage: 1 pc. in case of deficiency, high blood glucose level or during ketosis, 1 pc. after 12 hours.

Packaging: bottle 500 ml, 12 pcs/pack



### Phosphore



A source of easily digestible phosphorus and magnesium for cows around calving. Its safe gel form prevents choking.

Dosage: 1 pc. when deficiency occurs, 1 pc. after 12 hours.

Packaging: bottle 500 ml, 20 pcs/pack



UWALNIANIE DO 15 DNI!

### Mag L.A.



Supplements magnesium levels for cows starting the grazing season and to prevent hypomagnesemia, also in calves.

Dosage: 100 ml in case of deficiency, 50 ml as a preventive measure.

Packaging: bottle 500 ml, 15 pcs/pack

29,8% WAPNIA W BOLUSIE!



### Obicalc



4 sources of calcium with different absorption rates. Reduces the risk of milk fever.

Dosage: give cows 2 boluses after the onset of calving or 1 x Obi-calc + 1 x Obibaca.

Packaging: bolus 90 g, 10 pcs/pack

## DEFICIENCIES



## Phos-Calc Vet



Quickly replenishes phosphorus and calcium levels. Contains a highly available source of key macronutrients, released over a 6-week period.

Dosage: 1 pc. to be administered to cows with diagnosed hypophosphatemia in the post-calving period and in case of any macronutrient deficiency.

Packaging: bolus 150 g, 16 pcs/pack



## Obibaca



Quick-releasing epsom salts protect the body against milk fever. Lowers DCAD by mobilizing the release of calcium from bones and its absorption in the intestines.

Dosage: give cows 2 boluses after the onset of calving or 1 x Obi- calc + 1 x Obibaca.

Packaging: bolus 90 g, 10 pcs/pack



## Farmavit B-Complex



Supplementation with B vitamins: B1, B2, B3, B5, B6 and B12.

Dosage: administer after dissolving in 1 liter of water: horses and cattle - 20 ml, calves, foals - 10 ml, pigs, alpacas - 15 ml, piglets, sheep, goats, cria - 5 ml, poultry - 2 ml.

Packaging: bottle 1 L, 12 pcs/pack



## Farmavit C



Vitamin C (pure ascorbic acid) powder for poultry and fur animals.

Dosage: administer with water in the following quantities: poultry - 2 g/5 L, foxes, minks - 0.02 g/1 L, chickens - 0.2 g/2 L.

Packaging: bucket 1 kg, 6 pcs/pack



## Obihoof



Bolus to improve hoof health. Contains zinc, biotin, and silica.

Dosage: administered to cows with hoof problems and lameness. Release of ingredients for up to 90 days.

Packaging: bolus 110 g, 10 pcs/pack

8 MSC. UWALNIANIA SKŁADNIKÓW!



## Obi 360



It enables long-term supplementation of key micronutrients, supporting dairy and fattening cows in replenishing mineral deficiencies.

Dosage: administered to cows at the peak of lactation and in case of mineral deficiencies in the feed.

Packaging: bolus 150 g, 10 pcs/pack



## Obitarie



It replenishes trace element deficiencies in high-yielding cows fed lower-quality feed. It also regenerates the body during the dry period.

Dosage: administered to cows during the dry period. Release for up to 3 months.

Packaging: bolus 75 g, 10 pcs/pack



## S-vit ATP B-complex



Supports energy metabolism with supplementation B vitamins: B1, B2, B3, B5, B6, and B12. Highly sterile product.

Dosage: depending on needs, administer 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



## S-vit B-complex



Supplementation with B vitamins: B1, B2, B3, B5, B6, and B12. Highly sterile product.

Dosage: depending on needs, administer 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



## S-vit B12



Vitamin B12 supplement. High-sterility product.

Dosage: depending on the needs, administer 1 from 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



## Farmavit AD3E



Vitamin A, D3 and E supplement in high doses with added energy.

Dosage: administer after dissolving in 1 liter of water: cattle - 20 ml, calves, alpacas - 10 ml, pigs, sheep, goats - 5 ml, lambs, piglets, kids, cria - 2 ml, poultry - 2 ml.

Packaging: bottle 100 ml, 24 pcs/pack  
bottle 1 L, 12 pcs/pack



## Farmavit AD3E Forte



Supplementation of vitamins A, D3 and E in maximum doses with added energy.

Dosage: administer after dissolving in 1 liter of water: cattle - 5 ml, pigs, sheep, goats - 1.25 ml, poultry - 5 ml/10 L of water.

Packaging: bottle 1 L, 12 pcs/pack



## S-vit E50 + Se



Supplementing vitamin E and selenium levels. High-grade sterility.

Dosage: depending on needs, administer 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



## S-vit Multivitamin



Supplemented with vitamins A, D3, E, and B vitamins B1, B2, B3, B5, B6, and B12. Highly sterile product.

Dosage: depending on needs, administer 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



## S-vit NaCl 7,2



Hydration and regulation of acid-base balance by administering 7.2% sodium chloride. A high-sterility product.

Dosage: depending on needs, administer 5 to 10 ml/100 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack

## CALVES

CONTAINS NATURAL COLOSTRUM!



### Colostro Flash



Natural colostrum, energy, vitamins, and probiotics, designed for newborn calves without access to colostrum or receiving poor-quality colostrum. Stabilizes gastrointestinal flora (important after antibiotic therapy)!

Dosage: 1 syringe directly into the mouth up to 12 hours after calving and after each antibiotic treatment.

Packaging: syringe 30 g, 5 pcs/pack



### Obionekk



Reduces the risk of digestive upset (diarrhea), especially if caused by *Cryptosporidium*. Contains charcoal, which eliminates toxins and helps alleviate diarrhea.

Dosage: 30 ml as a preventive measure or 60 ml for calves with digestive disorders for 4-7 days.

Packaging: canister 5 L, 4 pcs/pack  
bottle 500 ml, 6 pcs/pack



### Diar-Vit Premium



This product reduces diarrhea symptoms. It stabilizes the digestive tract, replenishes trace elements and vitamins lost during diarrhea, and provides a high level of probiotics.

Dosage: 1 sachet/2 liters of milk or water, administer 2-3 times a day for at least 3 days.

Packaging: sachet 100 g, 16 pcs/pack  
bucket 1 kg, 6 pcs/pack



### Vit&Fort



A "power syringe" for weakened calves after difficult births and illness. Improves the condition of the skin and its byproducts thanks to its high zinc, copper, and vitamin content.

Dosage: 1 syringe directly into the mouth of calves after a difficult birth, co-habitation or in case of skin problems.

Packaging: syringe 15 ml, 160 pcs/pack



### Vit&Mangan



A high dose of manganese that improves the production of connective tissue for calves with tendon contractures and movement problems in the joints.

Dosage: 1 syringe directly into the mouth of calves with tendon contracture, repeat after 3 days.

Packaging: syringe 15 ml, 160 pcs/pack



### Lacthydravo



A rich source of energy, electrolytes, vitamins, and trace elements that regenerate the body during and after digestive disorders. Contains three probiotic strains and lactoferrin, which stimulates the regeneration of intestinal villi.

Dosage: 1 sachet 2 times a day with 2 liters of water or milk for 3 days for calves during and after digestive disorders.

Packaging: sachet 180 g, 45 pcs/pack



### Poolmoplex



Encapsulated essential oils dilute secretions in the respiratory system and facilitate expectoration. Improves the functioning of calves during illness by additionally stabilizing digestion.

Dosage: 20-30 g/piece or 1 kg/tonne TMR daily for at least 3 days.

Packaging: sachet 1 kg, 20 pcs/pack  
bucket 4 kg



### DisoLyt



Effervescent electrolyte with glycine and a strain of *E. faecium* bacteria. Improves hydration, especially in calves recovering from diarrhea, by quickly regenerating and providing easily digestible energy.

Dosage: Dissolve 1 sachet in 2 liters of warm water. Feed to calves during and after diarrhea, and during high ambient temperatures.

Packaging: sachet 100 g, 25 pcs/pack



### Obivo



A bolus supplementing minerals crucial for a growing body and stabilizing digestion. For use during periods of increased demand for these nutrients, especially during and after diarrhea.

Dosage: Administer 1 bolus to calves with a functioning rumen during periods of digestive disorders and mineral and vitamin deficiencies. Release up to 28 days.

Packaging: bolus 50 g, 50 pcs/pack



## S-vit NaHCO3



Reducing metabolic acidosis by administering 8.3% sodium bicarbonate. A high-sterility product.

Dosage: depending on needs, administer 5 to 10 ml/10 kg of body weight.

Packaging: bottle 100 ml, 12 pcs/pack



### Bovi-Diar Vet



This product stabilizes the digestive tract of cows with diarrhea and associated enterotoxemia. It eliminates toxins and seals the intestinal mucosa.

Dosage: 1 sachet/head per day, feed twice daily for a minimum of 3 days. In group feeding, feed 3 kg/tonne of feed.

Packaging: sachet 100 g, 16 pcs/pack  
bucket 1 kg, 10 pcs/pack  
bag 25 kg



CONTAINS PROTECTED VITAMIN C!

### Dyzentybione drench



Drench is intended for cows at risk of mycotoxin or bacterial toxin poisoning. It contains carbon and magnesium oxide, as well as vitamins C and K, which help reduce minor gastrointestinal bleeding.

Dosage: 1 sachet / 20 l of water in case of symptoms or suspicion of poisoning and during diarrhea.

Packaging: sachet 200 g, 40 pcs/pack



### Drench Powder



Drench, designed for post-calving cows, supplements calcium, magnesium, and phosphorus levels. Designed to help prevent hypocalcemia and abomasum displacement. A rich source of potassium.

Dosage: 1 sachet / 25 l of water after calving.

Packaging: sachet 500 g, 40 pcs/pack



### Drench lax



Drench is designed for cows with poor feed intake to stimulate digestion. Contains magnesium sulfate, which has a laxative effect and stimulates the production of digestive juices.

Dosage: 1 sachet / 20 l of water in case of weakened feed intake.

Packaging: sachet 350 g, 40 pcs/pack



### Farmatox Carbo

A product based on vegetable carbon to eliminate toxins, mycotoxins and enterotoxins resulting from digestive disorders.

Dosage: 0.5 kg/tonne of feed. In individual feeding, use daily: cattle - 15 g/head, pigs - 5 g/head.

Packaging: bucket 1 kg, 6 pcs/pack  
bag 5 kg, 1 pc.



### Farmatox Carbo Zn

A product based on vegetable carbon with the addition of zinc oxide, stabilizing digestion during weaning, eliminating toxins, mycotoxins and enterotoxins resulting from digestive disorders.

Dosage: 0.4 kg/tonne of feed. In individual feeding, use daily: cattle - 10 g/head, pigs - 2.5 g/head.

Packaging: bucket 1 kg, 6 pcs/pack  
bag 5 kg, 1 pc.

## DIGESTION



## Farmbiotic

A source of probiotics that support digestive processes, suitable for use during periods of digestive disorders and after antibiotic therapy. Contains prebiotics that promote the growth of intestinal microflora.

Dosage: administer after dissolving in water or milk in the following quantities: horses, cattle - 30 g, pigs, sheep, goats, alpacas, calves - 15 g, piglets - 10 g, poultry - 200 g/1,000 L of water.

Packaging: bucket 1 kg, 6 pcs/pack



## Feed Yeast

Feed raw material for stabilizing digestion and regulating ruminal pH.

Dosage: add to feed in the following quantities: cattle - 20 g, horses - 10 g, pigs - 3 g, sheep, goats, calves, foals, piglets - 5 g, fur animals - 0.5 g, poultry: 0.5 - 1 g.

Packaging: bucket 1 kg, 6 pcs/pack



## Hepatobione

Improves liver regeneration in cows undergoing ketosis or antibiotic therapy. Contains protected methionine, choline, and niacin. The richest composition for powerful liver support.

Dosage: 100 g daily for 5 days with feed  
Packaging: sachet 152 g, 36 pcs/pack  
bag 20 kg



## Hepatobione 152

A quick solution for liver regeneration during ketosis or antibiotic therapy, the sachet form allows for convenient dosing during the visit and planning further activities using Hepatobione 1 kg.

Dosage: 1 sachet daily for 5 days.  
Packaging: bolus 105 g, 10 pcs/pack

THE HIGHEST DOSE OF CHOLINE

## LIVER



## Obiperf

Improves the functioning of a weakened liver thanks to the content of choline, methionine and milk thistle. Release: 5 days.

Dosage: administered to cows after antibiotic therapy, ketosis and feeding with feed contaminated with mycotoxins.  
Packaging: bolus 105 g, 10 pcs/pack

## ACIDOSIS

LIVE YEAST IN BOLUS!



## Obiflore

Live yeast stabilizes the intestinal microflora. It improves digestion and reduces the risk of acidosis and ketosis.

Dosage: administer during the period of risk of acidosis (change of feed) or 2 weeks before calving. Release: up to 15 days.

Packaging: bolus 70 g, 10 pcs/pack



## Stopacidobione

It "puts out the fire" in acute acidosis, contains ingredients that buffer the contents of the digestive tract and vitamin B1, which is necessary for replenishment during acidosis.

Dosage: 1 sachet of feed for 3-5 days.

Packaging: sachet 340 g, 40 pcs/pack



## Ruminobione

Buffers acidic digestive tract contents; is a source of yeast and vitamin B1. Designed for high-yielding cows and when changing feed.

Dosage: give 200 g to cows at risk or with symptoms of acidosis.

Packaging: bag 1 kg, 25 pcs/pack



## Stophorn

A dehorning ointment for 4-6 day old calves, kids, and lambs. Allows for painless removal of horn buds.

How to use: lubricate the skin and horn buds for 30-40 seconds.

Packaging: syringe 10 ml, 5 pcs/pack



## VagiFoam

This foam improves the regeneration of genital skin irritated by childbirth. It contains silver, hyaluronic acid, aloe, and eosin, which reduce pathogen activity and accelerate skin healing.

How to use: Use for 5 consecutive days on irritated skin, abrasions, and sores. The included tube allows you to apply the product to hard-to-reach areas.

Packaging: can 200 ml, 6 pcs/pack



## Alufarm

A spray for dressing wounds and abrasions that protects against external factors and promotes faster healing.

How to use: spray on the wound or abrasion, repeat as necessary until the healing process begins.

Packaging: can 150 ml, 20 pcs/pack



## Pixol

Tar spray protecting hooves and hoofs after correction/trimming or in case of damage to their structure.

How to use: Spray the hoof generously and allow to dry to form an impermeable coating. Repeat up to twice daily if necessary.

Packaging: can 150 ml, 20 pcs/pack

## OTHERS



### RUMAK cooling gel



A gel that reduces leg swelling in horses and post-partum udder swelling, with a relaxing and constricting effect on blood vessels. How to use: use twice a day with massage until symptoms disappear.

Packaging: jar 250 g, 18 pcs/pack  
jar 500 g, 12 pcs/pack



### RUMAK warming gel



A vasodilating gel that reduces skin tension for use after intense training in horses or in early stages of udder inflammation in cows. How to use: use twice a day with massage until symptoms disappear.

Packaging: jar 250 g, 18 pcs/pack  
jar 500 g, 12 pcs/pack



### RUMAK warming-cooling gel



A gel with a multi-directional warming and cooling effect for use in the treatment of swelling and stiffness of the limbs in horses and swelling and early inflammation of the udder in cows.

How to use: use twice a day with massage until symptoms disappear.

Packaging: jar 250 g, 18 pcs/pack  
jar 500 g, 12 pcs/pack



### RUMAK with arnica for bruising gel



A gel for use on bruises, swelling, and contusions. Arnica extract effectively constricts blood vessels, preventing the release of exudative fluid, which reduces bruising and swelling.

How to use: use twice a day with massage until symptoms disappear.

Packaging: jar 250 g, 18 pcs/pack  
jar 500 g, 12 pcs/pack



### Tympakon Farma

Defoaming and anti-foaming product.

Dosage: prepare a working solution of 20 - 40 ml of product/2 L of water and use immediately.

Packaging: bottle 250 ml, 15 pcs/pack



### Vagothyl

Product for cleaning objects, surfaces and rooms.

Dosage: prepare a working solution with a concentration of 0.5% to 3% and use immediately.

Packaging: bottle 100 ml, 14 pcs/pack  
bottle 250 ml, 24 pcs/pack



### Biofal

Potassium soap for washing surfaces, instruments and preparing the surgical field.

Dosage: Dissolve a small amount in water or apply directly from the packaging to the surface to be cleaned. After use, rinse with water.

Packaging: bottle 250 g, 16 pcs/pack

## ACCESSORIES



### Dozownik Obionekk

A dispenser with an applicator for administering a measured dose of the Obionekk product.

Packaging: 1 pc



### Aplikator do bolusów Grand

Applicator for administering large boluses (70 - 150 g).

Packaging: 1 pc



### Aplikator Obivo

Obivo bolus applicator.

Packaging: 1 pc

## PIGS

### Canibal Stop Spray

A product that helps prevent cannibalism in pigs. Its bitter taste discourages aggressive pigs from biting.

How to use: spray the areas exposed to bites or with bite marks, and separate aggressive individuals from other animals if possible.

Packaging: 20 pcs





**Vet Planet Sp. z o.o.**  
Brukowa 36 lok. 2  
05-092 Łomianki  
Poland  
tel./Fax. +48 (22) 833 74 46  
**VETEXPERT.EU**